
806	. CON	VĒCTĪV RL RĒS	E INST EARCH	TABILI LAB W	TY IN ASHING	THE AL	JRORAL	IONOS	PHERE ET AL		1.	/1
IFIED	11 /	IPR 86	NRL-H	IR-573	8				F/G	4/1	NL	
一十												
									1.72 1.15	ł		
		CON/	CONVECTIV NAVAL RES SIFIED 11 APR 86	CONVECTIVE INST NAVAL RESEARCH SIFIED 11 APR 86 NRL-P	CONVECTIVE INSTABILI NAVAL RESEARCH LAB M SIFIED 11 APR 86 NRL-HR-573	CONVECTIVE INSTABILITY IN MAYAL RESEARCH LAB MASHING SIFIED 11 APR 86 NRL-MR-5738	CONVECTIVE INSTABILITY IN THE AL MAYAL RESERRCH LAB MASHINGTON DO SIFIED 11 APR 86 NRL-MR-5738	CONVECTIVE INSTABILITY IN THE AURORAL MAYAL RESERRCH LAB MASHINGTON DC J D SIFIED 11 APR 86 NRL-HR-5738	CONVECTIVE INSTABILITY IN THE AURORAL IONOS MAYAL RESEARCH LAB MASHINGTON DC J D HUBA SIFIED 11 APR 86 NRL-HR-5738	CONVECTIVE INSTABILITY IN THE AURORAL IONOSPHERE MAYAL RESEARCH LAB MASHINGTON DC J D HUBA ET AL. SIFIED 11 APR 86 NRL-HR-5738 F/G	CONVECTIVE INSTABILITY IN THE AURORAL IONOSPHERE(U) NAVAL RESEARCH LAB MASHINGTON DC J D HUBA ET AL. SIFIED 11 APR 86 NRL-MR-5738 F/G 4/1	CONVECTIVE INSTABILITY IN THE AURORAL IONOSPHERE(U) NAVAL RESEARCH LAB MASHINGTON DC J D HUBA ET AL. SIFIED 11 APR 86 NRL-MR-5738 NL



MICROCOP

CHART

The Effect of Finite "Blob" Size on the **Current Convective Instability** in the Auroral Ionosphere

J. D. HUBA AND P. K. CHATURVED!

Geophysical and Plasma Dynamics Branch Plasma Physics Division

April 11, 1986



This research was partially sponsored by the Defense Nuclear Agency under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by the Office of Naval Research.



NAVAL RESEARCH LABORATORY Washington, D.C.

Approved for public release; distribution unlimited.

36

082

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

AD-A166806

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE 12. REPORT SECURITY CLASSIFICATION UNCLASSIFIED 22. SECURITY CLASSIFICATION AUTHORITY 23. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited. A PERRORMING ORGANIZATION REPORT NUMBER(S) NRL Memorandum Report 5730 55. MONITORING ORGANIZATION REPORT NUMBER(S) NRL Memorandum Report 5730 66. NAME OF PERFORMING ORGANIZATION (If applicable) Naval Research Laboratory (Ode 4780 67. NAME OF MONITORING ORGANIZATION (If applicable) Naval Research Laboratory (Ode 4780 68. ADDRESS (City, State, and ZIP Code) Washington, DC 20375-5000 69. ANAME OF FUNDING ISPONSORING ONAMIZATION NON RAAE 80. OFFICE SYMBOL (If applicable) NAAE 80. OFFICE SYMBOL (If applicable) NON And ONN RAAE 10. SOURCE OF FUNDING NUMBERS PROGRAM ELEMENT IN NO. RORGANIZATION NUMBER 11. TITLE (Include Security Classification) The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUTHORIS) HUBB. J.D. and Chaturvedi. P.K. 13. TYPE OF REPORT 13. TYPE OF REPORT 13. TYPE OF REPORT 14. OATE OF REPORT (Veer, Month, Day) 15. PAGE COUNT Interim 16. SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Auroral density pregularities Nonlocal plasma theory Auroral density pregularities Nonlocal plasma theory No	SECORITY CLASSIFICATION OF THIS PAGE								
UNCLASSIFICATION AUTHORITY 26. DECLASSIFICATION AUTHORITY 27. DECLASSIFICATION AUTHORITY 28. DECLASSIFICATION AUTHORITY 29. DECLASSIFICATION AUTHORITY 20. DECLASSIFICATION AUTHORITY 20. DECLASSIFICATION AUTHORITY 20. DECLASSIFICATION AUTHORITY 21. APPROVED for public release; distribution unlimited. 22. MANE OF PERFORMING ORGANIZATION REPORT NUMBER(S) 23. NAME OF PERFORMING ORGANIZATION 24. NAME OF PERFORMING ORGANIZATION 25. NAME OF MONITORING ORGANIZATION 26. ADDRESS (City, State, and ZIP Code) 27. NAME OF MONITORING ORGANIZATION 27. NAME OF MONITORING ORGANIZATION 28. NAME OF FUNDING /SPONSORING 29. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 29. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 20. ADDRESS (City, State, and ZIP Code) 20. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 20. ADDRESS (City, State, and ZIP Code) 20. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 20. ADDRESS (City, State, and ZIP Code) 20. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 20. ADDRESS (City, State, and ZIP Code) 20. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 20. ADDRESS (City, State, and ZIP Code) 20. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 20. ADDRESS (City, State, and ZIP Code) 20. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 20. ADDRESS (City, State, and ZIP Code) 20. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 21. PROGRAM 22. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 22. ADDRESS (City, State, and ZIP Code) 23. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 24. ADDRESS (City, State, and ZIP Code) 25. ADDRESS (City, State, and ZIP Code) 26. ADDRESS (City, State, and ZIP Code) 26. ADDRESS (City, State, and ZIP Code) 27. NAME OF MONITORING ORGANIZATION 29. PROCUREMENT INSTRUMENT IDENTIFICATION 29. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 20. ADDRESS (City, State, and ZIP Code) 20. PROCUREMENT INSTRUMENT IDENTIFICATION 20. PROCUREMENT INSTRUMENT IDENTIFICATION 21. ADDRESS (City, State, and ZIP Code) 20. PROCUREMENT INSTRUMENT IDENTIFICATION 20. PROCUREMENT INSTRUMENT	REPORT DOCUMENTATION PAGE								
Approved for public release; distribution unlimited. 4. PERFORMING ORGANIZATION REPORT NUMBER(5) NRL Memorandum Report 5730 5. MONITORING ORGANIZATION REPORT NUMBER(5) NRL Memorandum Report 5730 6. NAME OF PERFORMING ORGANIZATION Naval Research Laboratory Code 4780 Naval Research Laboratory Code 4780 Nashington, DC 20375-5000 8. NAME OF FUNDING/SPONSORING ORGANIZATION DNA and ONR R. AADE 8. ADDRESS (City, State, and ZIP Code) Washington, DC 20305 Arlington, VA 22217 10. SOURCE OF FUNDING NUMBERS PROGRAM ELEMENT NO. RAAE 11. ITILE (Include Security Classification) The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUT-10R(5) Huba, J.D. and Chaturyedi, P.K. 133. TYPE OF REPORT 134. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT Interim 16. SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number)				1b. RESTRICTIVE MARKINGS					
A PERFORMING ORGANIZATION REPORT NUMBER(S) NRL Memorandum Report 5730 6. NAME OF PERFORMING ORGANIZATION Naval Research Laboratory Code 4780 6. OFFICE SYMBOL (If applicable) Code 4780 7. NAME OF MONITORING ORGANIZATION Naval Research Laboratory Code 4780 7. NAME OF MONITORING ORGANIZATION Washington, DC 20375-5000 8. NAME OF FUNDING/SPONSORING ORGANIZATION DNA and ONR R. AADRESS (City, State, and ZIP Code) Washington, DC 20305 Arlington, VA 22217 Washington, DC 20305 Arlington, VA 22217 The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUTHOR(S) Huba, J.D. and Chaturvedi, P.K. 13. TYPE OF REPORT 13. TYPE OF REPORT 13. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) 14. OATE OF REPORT (Year, Month, Day) 15. PAGE COUNT 16. SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block number) 19. ABSTRACT (Continue on reverse if necessary and identify by block	Za. SECURITY CLASSIFICATION AUTHORI		3 DISTRIBUTION/AVAILABILITY OF REPORT						
NRL Memorandum Report 5730 5. NAME OF PERFORMING ORGANIZATION Naval Research Laboratory Code 4780 6. ADDRESS (City, State, and ZIP Code) Washington, DC 20375-5000 8. NAME OF FUNDING/SPONSORING ORGANIZATION ORGANIZATION DNA and ONR 8. ADDRESS (City, State, and ZIP Code) Nashington, DC 20375-5000 8. NAME OF FUNDING/SPONSORING ORGANIZATION ORGANIZATION DNA and ONR 8. ADDRESS (City, State, and ZIP Code) Washington, DC 20305 Arlington, VA 22217 The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUTHORS) Huba, J.D. and Chaturvedi, P.K. 13. TYPE OF REPORT This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES FIELD GROUP SUB-GROUP Auroral density irregularities Auroral density irregularities Nonlocal plasma theory Auroral density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "Flob" Blob" in the auroral ionosphere: "Current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous develop a non-local theory of the current convective instability which considers the finite extent of the "instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the food approximation for an infinitely long blob. For auroral ionosphere are definite actent of the "food are for the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the food approximation for an infinitely long blob. For auroral ionosphere.	2b. DECLASSIFICATION / DOWNGRADING	SCHEDU	LE	Approved for public release; distribution unlimited.					
Naval Research Laboratory So. Perfice Symbol (If applicable) Code 4780	4. PERFORMING ORGANIZATION REPORT	NUMBE	R(S)	5. MONITORING	ORGANIZATION R	EPORT NUM	BER(S)		
Naval Research Laboratory (if applicable) Code 4780 7b. ADDRESS (City, State, and ZIP Code) Washington, DC 20375-5000 8a. NAME OF FUNDING/SPONSORING ORGANIZATION DNA and ONR RAAE 8c. ADDRESS (City, State, and ZIP Code) Washington, DC 20305 Arlington, VA 22217 Washington, DC 20305 Arlington, VA 22217 TITLE (Include Security Classification) The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUTHOR(S) Huba, J.D. and Chaturvedi, P.K. 13a. TYPE OF REPORT Interim 15. SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. The Weever, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionoral iono	NRL Memorandum Report 573	0							
Naval Research Laboratory 6c. ADDRESS (Gity, State, and ZIP Code) Washington, DC 20375-5000 8a. NAME OF FUNDING/SPONSORING ORGANIZATION DNA and ONR 8c. ADDRESS (Gity, State, and ZIP Code) Washington, DC 20305 Arlington, VA 22217 Washington, DC 20305 Arlington, VA 22217 The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUTHOR(S) Huba, J.D. and Chaturvedi. P.K. 13a. TYPE OF REPORT Interim FROM 15. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) The Effect (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" on the local approximation for an infinitely long blob. For auroral ionosphere. The finite extent of the instability can be substantially requed in the finite-sized "blob" of can the voted in the local approximation for an infinitely long blob. For auroral ionoral into the correlation for an infinitely long blob. For auroral ionoral into the correlation for an infinitely long blob. For auroral ionoral into the local approximation for an infinitely long blob. For auroral ionoral into the correlation for an infinitely long blob. For auroral ionoral into the local approximation for an infinitely long blob. For auroral ionoral ionoral into the correlation for an infinitely long blob. For auroral ionoral ion	6a. NAME OF PERFORMING ORGANIZAT	ION		7a. NAME OF MONITORING ORGANIZATION					
8a. NAME OF FUNDING/SPONSORING ORGANIZATION DNA and ONR 8c. ADDRESS (City, State, and ZIP Code) Washington, DC 20305 Arlington, VA 22217 The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUTHOR(S) Huba, J,D. and Chaturvedi. P.K. 13a. TYPE OF REPORT TO 1986 April 11 36 16 SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) FIELD GROUP SUB-GROUP Auroral ionosphere 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Auroral density irregularities Nonlocal plasma theory 19. ABSTRACT (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For suroral ionospherication on sure of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For suroral ionospheric infinite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For suroral ionosphere.	Naval Research Laboratory			ł					
8a. NAME OF FUNDING/SPONSORING ORGANIZATION B. DATE OF FUNDING NUMBER ORGANIZATION ON RAAE 8c. ADDRESS (City, State, and ZIP Code) Washington, DC 20305 Arlington, VA 22217 THE Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUTHOR(S) Huba, J.D. and Chaturvedi. P.K. 13a. TYPE OF REPORT 13b. Time COVERED FROM TO 1986 April 11 16. SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) FIELD GROUP SUB-GROUP Auroral ionosphere Current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "Blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionospheric sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionospheric sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionospheric sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionospheric sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionospheric sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionospheric sized "blob" case from the value obtained in the loc	6c. ADDRESS (City, State, and ZIP Code)			7b. ADDRESS (City	y, State, and ZIP	Code)			
ORGANIZATION DNA and ONR 8c. ADDRESS (City, State, and ZIP Code) Washington, DC 20305 Arlington, VA 22217 The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUTHOR(5) Huba, J.D., and Chaturvedi. P.K. 13a. TYPE OF REPORT Interim FROM TO 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT Interim 16. SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) FIELD GROUP SUB-GROUP Auroral ionosphere Current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "Blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionosphere in the reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionosphere in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionosphere in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionosphere in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionosphere in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionosphere in	Washington, DC 20375-5000			1					
Washington, DC 20305 Arlington, VA 22217 Washington, DC 20305 Arlington, VA 22217 The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. Personal Author(s) Huba, J.D., and Chaturvedi. P.K. 13a. Type of Report Interim This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) FIELD GROUP Sub-GROUP Sub-GROUP Auroral ionosphere 19. ABSTRACT (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionospheric arrent convection in the local approximation for an infinitely long blob. For auroral ionosphere.				9. PROCUREMENT	INSTRUMENT ID	NTIFICATIO	N NUMBER		
Washington, DC 20305 Arlington, VA 22217 PROGRAM ELEMENT NO. RR033. NO. RR03	DNA and ONR		RAAE						
Washington, DC 20305 Arlington, VA 22217 ELEMENT NO. NO. RR033. NO. RR01043-006	8c. ADDRESS (City, State, and ZIP Code)						TIAKONK LIANT		
The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUTHOR(S) Huba, J.D. and Chaturvedi. P.K. 13a. TYPE OF REPORT 13b. TIME COVERED 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT 1986 April 11 36 16. SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) FIELD GROUP SUB-GROUP Auroral ionosphere Current convective instability. Auroral density irregularities Nonlocal plasma theory 19. ABSTRACT (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancementa (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a nonlocal theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionos-	Washington, DC 20305 Arli	ington,	VA 22217		NO. RR033-		ACCESSION NO.		
The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere 12. PERSONAL AUTHOR(S) Huba, J.D. and Chaturvedi, P.K. 13a. TYPE OF REPORT Interim FROM TO 1986 April 11 36 15. PAGE COUNT 1986 April 11 36 16. SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) FIELD GROUP SUB-GROUP Auroral ionosphere, Auroral density irregularities Nonlocal plasma theory 19. ABSTRACT (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionos-				63223C	02-44	<u> </u>	BR01043-000		
Huba, J.D. and Chaturvedi. P.K. 13a. TYPE OF REPORT Interim 13b. TIME COVERED FROM TO 1986 April 11 36 16. SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Auroral ionosphere, Current convective instability Auroral density irregularities Nonlocal plasma theory 19. ABSTRACT (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionos-	The Effect of Finite "Blob" Size on the Current Convective Instability in the Auroral Ionosphere								
Interim FROM TO 1986 April 11 36 16. SUPPLEMENTARY NOTATION This research was partially sponsored by DNA under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Auroral ionosphere Current convective instability Auroral density irregularities Nonlocal plasma theory 19. ABSTRACT (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionos-									
00010 and work unit title "Plasma Structure Evolution," and by ONR. 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Auroral ionosphere, Current convective instability Auroral density irregularities Nonlocal plasma theory 19. ABSTRACT (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionos-									
Auroral ionosphere Current convective instability Auroral density irregularities Nonlocal plasma theory 19 ABSTRACT (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionos-	This research was paramely sponsored by Divis under outstake word with								
Auroral density irregularities Nonlocal plasma theory 19 ABSTRACT (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionos-				-					
19 ABSTRACT (Continue on reverse if necessary and identify by block number) It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionos-	FIELD GROUP SUB-GR	FIELD GROUP SUB-GROUP Auroral ionospher							
It has been suggested that the current convective instability may be responsible for the structuring, i.e., generation of density irregularities, of density enhancements (known as "blobs") in the auroral ionosphere. However, previous theories have neglected the finite extent of the "blob" along the geomagnetic field. In this paper we develop a non-local theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We find that the growth rate of the instability can be substantially reduced in the finite-sized "blob" case from the value obtained in the local approximation for an infinitely long blob. For auroral ionos-	Auroral density irregularities Nonlocal plasma theory								
of magnitude for the typical observed values of "blob" sizes (~ a few hundred km). Thus, it appears that the current convective instability is not a viable mechanism to generate scintillation causing irregularities, i.e., 1-10 km irregularities. 20 DISTRIBUTION/AVAILABILITY OF ABSTRACT 21 ABSTRACT SECURITY CLASSIFICATION									
■ UNCLASSIFIED UNCLASSIFIED 228 NAME OF RESPONSIBLE INDIVIDUAL 220 TELEPHONE (Include Area Code) [22c. OFFICE SYMBOL]			CPI. LI DTIC USERS) [22c. OFFI	CE SYMBOL		
J. D. Huba (202) 767-3630 Code 4780									

173, 84 MAR 83 APR edition may

PR edition may be used until exhausted.

All other editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

CONTENTS

I.	INTRODUCTION	1
II.	MODEL AND FUNDAMENTAL EQUATIONS	4
III.	DISPERSION EQUATION	8
۲۷.	ANALYTICAL AND NUMERICAL RESULTS	3
v.	DISCUSSION1	5
	ACKNOWLEDGMENTS1	7
	REFERENCES	0



Acce	esion For				
Unar	CRA&I TAB Inounced fication				
By Distril	oution/				
Availability Codes					
Dist	Avail and/ Special	2			
A-1	23				

THE EFFECT OF FINITE "BLOB" SIZE ON THE CURRENT CONVECTIVE INSTABILITY IN THE AURORAL IONOSPHERE

I. INTRODUCTION

Ionospheric irregularities (or density fluctuations) cause scintillation of radio signals which has been observed during diffuse auroral situations [Fremouw et al., 1977; Rino et al., 1978; Rino and Owen, 1980]. The irregularities occur in regions of soft particle precipitation (which are confined in latitude) and horizontal plasma density gradients. At present, the emerging picture is that large-scale density enhancements (known as "blobs") are produced in the high latitude F region and are convected around the polar ionosphere; the sides of these "blobs" appear to be the regions of structure [Tsunoda and Vickrey, 1985]. There has been a considerable theoretical effort to understand these irregularities in terms of gradient driven fluid instabilities [Ossakow and Chaturvedi, 1979; Huba and Ossakow, 1980; Vickrey et al., 1980; Keskinen et al., 1980; Chaturvedi and Ossakow, 1981, 1983; Keskinen and Ossakow, 1983; Satyanarayana and Ossakow, 1983; Gary, 1984; Huba, 1984; Satyanarayana et al., 1985]. particular, the current convective instability [Lehnert, 1958; Kadomtsev and Nedospasov, 1960] has been suggested as a generation mechanism of plasma irregularities in the high latitude icnosphere [Ossakow and Chaturvedi, 1979; Fejer and Kelley, 1980; Hanuise et al., 1981; Vickrey and Kelley, 1983]. This instability can be excited in a weakly collisional, magnetized plasma which contains a field-aligned current and a transverse density gradient. This configuration exists, at times, in the auroral ionosphere along the sides of density enhancements ("blobs").

Manuscript approved December 6, 1985.

The theoretical study of the current convective instability, as applied to the auroral F region, has evolved over the years. Initial studies used the local approximation which is valid for modes such that kL >> I where k is the wavenumber and L is the scale length of the density gradient [Ossakow and Chaturvedi, 1979; Vickrey et al., 1980; Chaturvedi and Ossakow, 1981; Gary, 1984]. Subsequent studies have considered a host of nonlocal effects which can be important and are neglected in a local analysis, e.g., magnetic shear [Huba and Ossakow, 1980]; velocity shear [Satyanarayana and Ossakow, 1983]; long wavelength modes (i.e., kL < 1) [Huba, 1984]; finite current channel width [Satyanarayana et al., 1985]. Overall, these effects have a tendency to reduce the growth rate of the instability, with the exception of velocity shear which can stabilize short wavelength modes (those with kL >> 1). Despite the modest reductions in growth rate the current convective instability has remained a viable mechanism to generate density irregularities with scale lengths 1-10 km.

A potentially important nonlocal effect that has not been considered to date is the finite extent of the "blob" along the ambient geomagnetic field. For example, recent studies of barium cloud dynamics have indicated that the parallel extent of the cloud along the field can affect its stability properties [Goldman et al., 1976; Spenling et al., 1984; Spenling and Glassman, 1985; Drake et al., 1985]. Physically, the reason that this effect could be significant is the following. The current convective instability requires density and potential fluctuations both parallel and perpendicular to \underline{B}_0 , i.e., assuming a Fourier expansion of the modes we have $\underline{K} = k \cdot \hat{e} + k \cdot \hat{e}$ where \underline{K} is the wavenumber. Based on local theory, the instability attains maximum growth when $k \cdot / k = (\sigma \cdot / \sigma_1)^{1/2}$ where

field, respectively. For typical F region parameters we note that $3/\sigma = 10^8$ so that $\lambda = 10^4$ λ where λ is the wavelength of the mode. Thus, for fluctuations with $\lambda = 1-10$ km, local theory requires parallel wavelengths such that $\lambda = 10^4 = 10^5$ km for maximum growth. On the other hand, the parallel extent of a "blob" is typically only several hundred km so that local theory is probably inadequate to properly describe the current convective instability in the auroral ionosphere (at least for the fastest growing modes of interest).

In this paper we develop a nonlocal theory of the current convective instability which considers the finite extent of an ionospheric "blob" parallel to the geomagnetic field. We show that the physical picture presented in the previous paragraph is, in fact, reasonably accurate. For a mode that has a parallel structure sufficiently short to "fit" the fastest growing mode into the "blob", we recover the maximum growth rate predicted by local theory. However, modes that have a parallel structure determined by the extent of the "blob" along the field can have growth rates substantially reduced from the maximum growth rate expected from local theory. For typical auroral ionosphere parameters, the reduction in the maximum growth rate of the instability for medium scale irregularities (1-10 km) can be one to two orders of magnitude.

The organization of the paper is as follows. In the next section we present the physical model and basic equations used in the analysis. In Section III we derive the dispersion equation for the current convective instability which explicitly includes the finite extent of the "blob" along the ambient magnetic field. In Section IV we present analytical and numerical results. Finally, in Section V we summarize our findings and apply our results to the auroral ionosphere.

II. MCDEL AND FUNDAMENTAL EQUATIONS

We consider a slab geometry and a plasma configuration as shown in Fig. 1. The ambient magnetic field and current are in the z-direction $(\underline{B} = \underline{B}_0 \ \hat{e}_z \ \text{and} \ \underline{J} = \underline{J}_0 \ \hat{e}_z)$. The ambient density profile used is given by

$$n_b(x) \qquad 0 < z < z_0$$

$$n_0(x,z) = 0 \qquad (1)$$

$$n_i \qquad \text{otherwise}$$

where n_b denotes the "blob" density which is confined to a limited region along \underline{B}_0 and is inhomogeneous transverse to \underline{B}_0 , and n_i denotes the homogeneous background ionosphere. We consider low frequency fluctuations such that $\partial/\partial t << \Omega_{\alpha}$, $v_{\alpha n}$ where Ω_{α} and $v_{\alpha n}$ represent the gyrofrequency and collision frequency with neutrals associated with the α species. We also assume $v_{\alpha n}/\Omega_{\alpha} << v_{in}/\Omega_{i} << t$ which is relevant to the F region of the ionosphere. Finally, for simplicity we assume a cold plasma (i.e., $T_{\alpha} = T_{i} = T_{i}$) and that the ambient current is carried by electrons (i.e., $\underline{J}_{0} = -v_{\alpha}$).

Within the context of our assumptions, the basic equations of our analysis are continuity, momentum transfer, charge neutrality, and Ampere's law:

$$\frac{\partial n_{\alpha}}{\partial t} + \nabla \cdot (n_{\alpha} \underline{v_{\alpha}}) = 0$$
 (2)

$$0 = -e\bar{\epsilon} - \frac{e}{c} v_e \times 3 - m_e v_{en} v_e$$
 (3)

$$0 = e\underline{E} + \frac{e}{c} \underline{y}_{i} \times \underline{B} - m_{i} v_{in} \underline{y}_{i}$$
 (4)

$$\nabla \cdot \mathbf{j} = \nabla \cdot [\operatorname{ne}(\mathbf{y}_{i} - \mathbf{y}_{e})] = 0$$
 (5)

$$7 \times \underline{3} = \frac{4\pi}{c} \underline{J} \tag{6}$$

where the variables have their usual meanings and we are in the neutral frame of reference (i.e., $V_n = 0$). We take the electric and magnetic fields to be represented by potentials as

$$\underline{\mathbf{E}} = -\nabla \phi - \frac{1}{c} \frac{\partial \mathbf{A}_{\mathbf{Z}}}{\partial \mathbf{t}} \hat{\mathbf{e}}_{\mathbf{Z}}$$
 (7)

and

$$\underline{B} = B_0 \hat{e}_z + \nabla A_z \times \hat{e}_z$$
 (3)

where B_0 is the ambient field, and ϕ and A_z are the electrostatic and vector potentials, respectively. We consider only A_z since $J_1 >> J_1$.

The electron cross-field motion is given by

$$\underline{v}_{e_{\perp}} = -\frac{c}{B} \nabla_{\perp} \phi \times \hat{e}_{z}$$
 (9)

while the parallel motion is given by

$$v_{e_{\parallel}} = \frac{e}{m_{a}v_{en}} \left[\nabla_{\parallel} p + \frac{1}{c} \frac{\partial A}{\partial t} \right]. \tag{10}$$

The ion cross-field motion is given by

$$\underline{\mathbf{v}}_{i\perp} = -\frac{\mathbf{c}}{3} \nabla_{\perp} \phi \times \hat{\mathbf{e}}_{z} - \frac{\nabla_{in}}{\Omega_{i}} \stackrel{\mathbf{c}}{=} \nabla_{\perp} \phi$$
 (11)

and the parallel motion is given by

$$v_{ij} = -\frac{m_e}{m_i} \frac{v_{en}}{v_{in}} v_{ej} \ll v_{ej}.$$
 (12)

We now substitute (9)-(12) into (2), (5), and (6) and arrive at the following equations:

$$\frac{\partial n}{\partial t} - \frac{c}{B} \nabla_{\perp} \phi \times \hat{e}_{z} \cdot \nabla n + \frac{3}{4\pi e} \frac{\partial}{\partial z} \nabla_{\perp}^{2} A_{z} = 0$$
 (13)

$$\frac{\nabla_{\underline{i}n}}{\Omega_{\underline{i}}} \frac{2}{B} \nabla \cdot (n \nabla_{\underline{i}} \phi) + \frac{c}{4\pi e} \frac{\partial}{\partial z} \nabla_{\underline{i}}^{2} A_{z} = 0$$
 (14)

$$\nabla^2 \lambda_z = \frac{4\pi}{cn_a} \frac{\partial \phi}{\partial z} + \frac{1}{c} \frac{\partial A_z}{\partial t}$$
 (15)

where $n_e = m_e r_{en}/ne^2$.

The equilibrium solution of (13)-(15) requires that

$$-\frac{c}{B}\nabla_{1}b_{0} \times \hat{e}_{z} \cdot \nabla n_{0} + \frac{c}{4\pi e} \frac{\partial}{\partial z}\nabla_{1}^{2}A_{z0} = 0$$
 (16)

$$\frac{v_{\text{in}}}{\Omega_{\star}} \frac{c}{3} \nabla \cdot \left(n_0 \nabla_{\perp} \phi_0 \right) + \frac{c}{4\pi e} \frac{\partial}{\partial z} \nabla_{\perp}^2 A_{z0} = 0 \tag{17}$$

$$\nabla_{\perp}^{2} A_{z0} = \frac{4\pi}{c n_{e}} \frac{\partial \phi_{0}}{\partial z}$$
 (13)

We have assumed $n_0 = n_0(x,z)$ [see (1)] and will also take ϕ_0 and A_{z0} to be functions only of x and z. [Neglect of the y dependence on ϕ_0 is equivalent to assuming $E_{0v} = 0$; we note that it is the y component

of \underline{E}_0 which can drive the usual \underline{E} x \underline{B} gradient drift instability in the F region and we are excluding this possibility.] From (16) and (17) we then find that

$$\frac{c}{4\pi e} \frac{\partial}{\partial z} \nabla_{\perp}^{2} A_{z0} = 0 \tag{19}$$

and

$$\frac{\sigma_{in}}{\Omega_{i}} \frac{g}{g} \frac{\partial}{\partial x} \left(n_{0} \nabla_{\perp} \phi_{0} \right) = 0$$
 (20)

Substituting (18) into (19) we find that

$$\frac{\partial}{\partial z} \frac{u_{\pi}}{\partial n_{\rho}} \frac{\partial \phi_{0}}{\partial z} = 0 \tag{21}$$

Making use of the definition of n_g (= $m_e v_e / ne^2$) and using (20) and (21) we can rewrite (14) as

$$\frac{v_{\text{in}}}{\Omega_{i}} \frac{\partial}{\partial x} \left(n_{0} \frac{\partial \phi_{0}}{\partial x} \right) + \frac{\partial}{\partial z} \left(\frac{\Omega_{e}}{v_{\text{en}}} n_{0} \frac{\partial \phi_{0}}{\partial z} \right) = 0$$
 (22)

which is equivalent to the requirement that $7 \cdot J_0 = 0$ since $J_{0x} = -n_0 (v_{in}/a_i)(c/B)\partial\phi_0/\partial x$ and $J_{0z} = (n_0e/m_ev_{en})\partial\phi_0/\partial z$.

Finally, we can write an equilibrium potential to be

$$-E_{0z}z - E_{0x} \int_{0}^{x} \frac{n_{i}dx'}{n_{b}(x')} \qquad 0 < z < z_{0}$$

$$\Phi_{0}(x,z) = -E_{0z}'z \qquad \text{otherwise}$$
(23)

This potential generates an equilibrium electric field

$$\Xi_{0z} \stackrel{\circ}{e}_{z} + \Xi_{0x} n_{i} / n_{b}(x) \stackrel{\circ}{e}_{x} \qquad 0 < z < z_{0}$$

$$\Xi = E_{0z} \stackrel{\circ}{e}_{z} \qquad otherwise$$
(24)

which causes a parallel electron drift $\underline{V}_{0z} = -\left(eE_{0z}/m_ev_e\right)\hat{e}_z$ and an innomogeneous cross-field drift $\underline{V}_{0\perp}(x) = -\left(eE_{0x}/B\right)\left(n_i/n_b(x)\right)\hat{e}_y$ in the "blob" plasma. In the background plasma there is only a parallel electron drift $\underline{V}_{0z} = -\left(eE_{0z}/m_ev_{en}\right)\hat{e}_z$.

III. DISPERSION EQUATION

We linearize (13)-(15) in order to obtain the dispersion equation which describes the current convective instability. We use the equilibrium derived in Section II and assume perturbed quantities vary as $\tilde{p} = \tilde{p}(x)$ exp $(\gamma t - i \kappa_{\gamma} y)$. The linearized equations are

$$\frac{\partial \tilde{n}}{\partial t} - \frac{c}{3} \nabla_{\perp} \tilde{\phi} \times \hat{e}_{z} \cdot \nabla_{\perp} n_{0} - \frac{c}{3} \nabla_{\perp} \phi_{0} \times \hat{e}_{z} \cdot \nabla \tilde{n} + \frac{c}{4\pi e} \frac{\partial}{\partial z} \nabla_{\perp}^{2} \tilde{A}_{z} = 0$$
 (25)

$$\frac{\sqrt{\ln \alpha}}{\Omega_i} \frac{\partial}{\partial z} \nabla \cdot (n_0 \sqrt{16}) + \frac{\sqrt{\ln \alpha}}{\Omega_i} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \sqrt{16} \frac{\partial}{\partial z} \nabla \cdot (\vec{n} \sqrt{16}) + \frac{\partial}{\partial z} \nabla \cdot$$

and

$$\nabla_{\perp}^{2} \tilde{A}_{z} = \frac{4\pi e}{c} \tilde{n} V_{0z} + \frac{4\pi}{c n_{e}} \frac{\partial \tilde{\phi}}{\partial z} + \frac{1}{c} \frac{\partial \tilde{A}_{z}}{\partial z} . \tag{27}$$

In the following we will ignore terms proportional to $\nabla_{\perp} \phi_0$ which is valid for $\kappa_y v_{0\perp} \ll |v_{0z}|^{3/3z_1}$. Retaining these terms leads to two effects: (1)

a real frequency is produced proportional to $k_y V_{0_\perp}(x_0)$ where $x = x_0$ is the location of mode localization, and (2) velocity shear stabilization of short wavelength modes (Satyanarayana and Ossakow, 1983). We are intentionally ignoring these effects in order to highlight the influence of finite "blob" size on the current convective instability.

Eliminating \tilde{n} from these equations we obtain two coupled differential equations for $\tilde{A}_{_{\mathcal{I}}}$ and $\tilde{\phi}_{_{1}}$

$$\left[\gamma + \kappa_{y}^{2} D_{r}\right] \tilde{A}_{z} = -c \frac{\partial \tilde{\phi}}{\partial z} + i \frac{\gamma_{0}}{\gamma \sqrt{\alpha}} c \kappa_{y} \tilde{\phi}$$
 (28)

and

$$\bar{\phi} = -\alpha D_r \frac{1}{c} \frac{\partial \bar{A}_z}{\partial z}$$
 (29)

where $D_r = (c^2/\omega_{pe}^2)v_e$ is the resistive diffusion coefficient, $\omega_{pe}^2 = 4\pi n_0 e^2/m_e$, $\alpha = (\Omega_e/v_e)(\Omega_i/v_{in})$, and $\gamma_0 = -(v_e/\Omega_e)\sqrt{\alpha} V_{0z} \partial \ln n_0/\partial x$. In writing (28) we have taken $(V_{0z}/\gamma)\partial/\partial z \ll 1$ which can be shown a posteriori; this term does not affect the growth rate of the mode but only causes the mode to have a real frequency. Finally, combining (28) and (29), we obtain the mode equation for the current convective instability in terms of the vector potential \tilde{A}_z ,

$$\frac{\partial}{\partial z} \left(\alpha D_r \frac{\partial A_z}{\partial z} \right) - i \frac{\Upsilon_0}{\Upsilon} \sqrt{\alpha} D_r k_y \frac{\partial A_z}{\partial z} - (\Upsilon + k_y^2 D_r) A_z = 0.$$
 (30)

Prior to solving (30) for the density profile shown in Fig. 1b, we first consider a blob of infinite extent along the field. We Fourier expand modes parallel to B_0 , i.e., $\tilde{p}(z) - \tilde{p} \exp(ik_z z)$ and use the local approximation $[k_v(\partial \ln n_0/\partial x)^{-1} >> 1]$ so that (30) can be solved

algebraically. This allows comparison with previous results [Ossakow and Chaturvedi, 1979; Chaturvedi and Ossakow, 1981]. The local dispersion equation is given by

$$Y - \frac{Y_0}{Y} k_y k_z \sqrt{\alpha} D_r + (k_y^2 + \alpha k_z^2) D_r = 0.$$
 (31)

The first term in (31) is related to electromagnetic effects, the second term to convection along the gradient (which causes the instability), and the final term to perpendicular ion motion and parallel electron motion. In the electrostatic limit $(k_y^2D_r, \alpha k_z^2D_r >> \gamma)$ the growth rate is given by

$$\gamma = + \gamma_0 \frac{\sqrt{\alpha} (k_z/k_y)}{1 + \alpha k_z^2/k_y^2}$$
 (32)

which agrees with the results of Ossakow and Chaturvedi (1979). This growth rate has a maximum value when $k_z^2/k_y^2=1/\alpha$. It is given by

$$\gamma_{\text{max}} = \gamma_0/2 \tag{33}$$

Retention of electromagnetic effects yields the following growth rate

$$Y = -\frac{1}{2} \hat{k}^2 D_r + \frac{1}{2} \left[\hat{k}^2 D_r + u \gamma_0 k_y k_z \sqrt{\alpha} D_r \right]^{1/2}$$
 (34)

where $\hat{k}^2 = k_y^2 + \alpha k_z^2$ and which can be shown to agree with Chaturvedi and Ossakow (1981).

We now solve (30) for a density profile relevant to a plasma "blob" in the auroral ionosphere. The equation is solved subject to the boundary condition $\hat{A}_z \neq 0$ as $\{z\} \neq \infty$. For a "top hat" density profile (Fig. 1b), the solution to (30) in the region z < 0 and $z > z_0$ can be written as a plane wave,

$$\tilde{A}_{z} = \tilde{A}_{i} \exp(-\kappa_{i}|z_{i})$$
(35)

where

$$k_{i} = k_{y} \left(\frac{1}{\sqrt{\alpha R}} \right)$$
 (36)

and

$$R = \frac{k_y^2 D_r}{\gamma + k_y^2 D_r}.$$
 (37)

Note that the subscript i denotes quantities that are evaluated in the background ionosphere (i.e., z < 0 and $z > z_0$). The parameter R is a measure of the electrostatic/electromagnetic nature of the mode. For $Y << \kappa_y^2 D_r$ we note that R - 1 and the mode is essentially electrostatic. In the opposite limit, $Y >> \kappa_y^2 D_r$ the mode is essentially electromagnetic with R << 1.

In the region 0 < z < $z_0,$ i.e., region occupied by the density enhancement, the solution to \overline{A}_z is given by

$$\bar{A}_z = \bar{A}_{zb}^{1} \exp(ik_1 z) + \bar{A}_{zb}^{2} \exp(ik_2 z)$$
 (38)

where

$$k_{1} = \frac{k_{y}}{\sqrt{\alpha}} \left[-\frac{1}{2} \frac{Y_{0}}{Y} + \frac{1}{2} \left(\frac{Y_{0}^{2}}{Y^{2}} - \frac{4}{R} \right)^{1/2} \right]_{b}$$
 (39)

and

$$k_{2} = \frac{k_{y}}{\sqrt{\alpha}} \left[-\frac{1}{2} \frac{Y_{0}}{Y} - \frac{1}{2} \left(\frac{Y_{0}^{2}}{Y^{2}} - \frac{4}{R} \right)^{1/2} \right]_{b}$$
 (40)

Again, the subscript b denotes quantities that are to be evaluated in the blob (0 < z < z_0).

To determine the dispersion equation we match the plane wave solutions at z=0 and $z=z_0$. The appropriate matching conditions are obtained from (28) and (29). Namely, we require that \hat{A}_z and $\alpha D_r \partial A_z/\partial z$ be continous across each boundary. Using these boundary conditions, we find that the dispersion equation is given by

$$\exp(i\Delta kz_0) = \Lambda \tag{4.}$$

where

$$\Lambda = \frac{1 + ir \frac{k_2}{k_i}}{1 + ir \frac{k_1}{k_i}} \frac{1 - ir \frac{k_1}{k_i}}{1 - ir \frac{k_2}{k_i}}$$
 (42)

$$\Delta k = k_1 - k_2 = \frac{k_y}{\sqrt{\alpha}} \left[\frac{\gamma_0^2}{\gamma^2} - \frac{4}{R} \right]_b^{1/2}$$
 (43)

$$\Gamma = \frac{\left(\alpha D_{r}\right)_{b}}{\left(\alpha D_{r}\right)_{i}} \tag{44}$$

and k_1 , k_1 , and k_2 are given in (36), (39), and (40), respectively.

IV. ANALYTICAL AND NUMERICAL RESULTS

We now present analytical and numerical results for the growth rate of the current convective instability based upon (41). We cast (41) into dimensionless form and obtain

$$\exp(i\hat{k}_{y}\hat{z}_{0}\Delta\hat{k}) = \Lambda \tag{45}$$

where $\hat{k}_y = k_y L_r$, $\hat{z}_0 = z_0 / \sqrt{\alpha} L_r$, $\Delta \hat{k} = \Delta k / k_y$, and $L_r = D_r / \gamma_0$ is the resistive diffusion length. First, we note that in the short wavelength limit, i.e., when $\hat{k}_y \hat{z}_0 >> 1$, $k_1 = k_2$ which implies $\Delta \hat{k} = 0$, so that $\Lambda = 1$ is a solution to (45). The growth rate is given by

$$\Upsilon = \frac{\Upsilon_0}{2} \sqrt{R_b}.$$
 (46)

In the electrostatic limit (Y << $\kappa_y^2 D_r$) we note that R = 1 and Y = Y_0/2 which corresponds to the maximum growth rate of the instability based upon local theory [see (33)]. This result makes sense physically since the limit $\hat{k}_y \hat{z}_0 >> 1$ corresponds to modes with parallel wavelengths much smaller than the parallel length of the blob; hence, the outer regions (i.e., z < 0 and z > z_0) have little affect on the dynamics of the instability.

On the other hand, for long wavelengths, i.e., $k_y z_0 << 1$, the growth rate is strongly affected by the finite length of the blob. The growth rate is reduced and $k_2 >> k_1$. In this limit $\Lambda = -1$ and the dispersion equation becomes

$$\hat{k}_y \hat{z}_0 \Delta \hat{k} = (2m + 1)\pi \tag{47}$$

where m = 1, 2, ... is an integer. Equation (47) yields the following growth rate

$$\Upsilon = \Upsilon_0 \frac{k_y z_0}{(2m+1)\pi} \tag{48}$$

We note that this growth rate is independent of the value of R. Also, the fastest growing mode in this regime corresponds to m=0.

In Fig. 2 we present numerical results based upon (45). We plot $\hat{Y} = Y/Y_0$ versus $\hat{k}_y = k_y L_r$ for $\hat{z}_0 = z_0/\sqrt{\alpha} L_r = 1$ and $\Gamma = -0.2$ for several values of mode number m. The solid curves are numerical results while the dashed curves are based upon the analytical results (46) and (48). Note the excellent agreement between these results in the short wavelength (i.e., $\hat{k}_y >> 2\pi$) and long wavelength (i.e., $\hat{k}_y << 2\pi$) limits. In the short wavelength regime the modes are electrostatic (R - 1) and have a growth rate which is the same as the maximum value obtained from local theory $[Y - Y_0/2]$, see (33)]. In the long wavelength limit the modes are electromagnetic (2 << 1) and have a smaller growth rate than in the short wavelength limit.

Physically, the reduction in growth can be explained as follows. The current convective instability requires a density and potential perturbation parallel to \underline{B}_0 which corresponds to a parallel wavenumber in the local analysis (the second term in (31) is the driver and depends upon γ_0 and k_z). From local theory, the instability achieves maximum growth when $k_z/k_y = 1/\sqrt{\alpha} = \left(\sigma_z/\sigma_z\right)^{1/2}$ where σ_z and σ_z are the perpendicular and parallel conductivities, respectively. In the ionosphere, $\sigma_z/\sigma_z = 10^{-8} < 10^{-8}$

to \underline{B}_0 relative to the perpendicular wavelengths $(\lambda >> \lambda_\perp)$. We define the maximum effective parallel wavenumber that can be supported within the blob

$$k_{z(eff)} = 2\pi/z_{0}. \tag{49}$$

Using (49) to determine the value of $k_y \hat{z}_0$ for maximum growth based on local theory $(k_y/k_z = \sqrt{\alpha})$ we find that $\hat{k}_y \hat{z}_0 = 2\pi$. Thus, for $\hat{k}_y \hat{z}_0 >> 2\pi$ we expect that the blob is sufficiently long to support a parallel wavelength which yields maximum growth, i.e., $k_z > k_{z(eff)}$. This is, in fact, quite apparent in Fig. 2 where $\hat{Y} = 0.5$ for $\hat{k}_y \hat{z}_0 >> 2\pi$. However, for modes such that $\hat{k}_y \hat{z}_0 << 2\pi$ it is not possible for any mode to satisfy the condition $k_z/k_y = 1/\sqrt{\alpha}$. Therefore, the modes grow at a reduced growth rate; again this is apparent from Fig. 2. In fact, this corresponds to the limit $\sqrt{\alpha} k_z/k_y >> 1$ based on local theory. Making use of this approximation in (32) we find that

$$Y = Y_0 \frac{k_y}{\sqrt{\alpha} k_z}$$
 (50)

which agrees with (48) if we make the identification $k_z^{-1} = z_0/(2m + 1)\pi$.

V. DISCUSSION

We have studied the effects of finite size of high latitude "blobs" parallel to magnetic field on the current convective instability in auroral ionosphere. We find that the growth rate of the instability can be substantially reduced in the case of a finite size "blob" from the value obtained when the "blobs" are assumed to be infinite. For short

wavelengths, such that $k_y z_0 >> \sqrt{\alpha}$ (where k is the wavenumber, z_0 the blob size and $\alpha = \Omega_0 \Omega_1 / v_0 v_1 = \sigma_1 / \sigma_1$), the growth rate remains relatively unaffected (especially in the electrostatic case) by the blob size. In the long wavelength case, when $k_y z_0 << \sqrt{\alpha}$, the growth rate becomes proportional to the wavenumber and the blob size. Thus, for a given blob size, the longer transverse wavelengths have smaller growth rates and, similarly, for shorter blob sizes, the growth rates are reduced [see (48)].

The current convective instability has been discussed in the auroral ionosphere recently, where field-aligned currents are a constant feature and plasma density enhancements ("blobs") have been observed with structured walls. We now apply our results for the instability to this situation. The typical parameters in this situation are the following: ambient density $n_i = 10^6$ cm⁻³, bloo density $n_0 = 5$ x 10^6 cm⁻³, fieldaligned current density $J_{40} \lesssim 10^2 \, \mu amp/m^2$ (which corresponds to an electron parallel drift $v_{01} \le 500$ m/sec for $n_0 \sim 10^6$ cm⁻³), the scale length associated with the "bloo" gradient $\epsilon_{\rm N}$ - 50 kms, the ion-neutral collision frequency $v_{in} \sim 5 \times 10^{-2} \text{ sec}^{-1}$ and electron collision frequency $v_a \sim 5 \times 10^2 \text{ sec}^{-1}$ [Tsunoda and Vickrey, 1985]. For $B_0 \sim 0.5$ G, one has $v_e/\Omega_e \sim 6 \times 10^{-5}$ and $v_{in}/\Omega_i \sim 1.7 \times 10^{-4}$ so that $\alpha \sim (\Omega_e \Omega_i/v_e v_{in}) \sim 1.7 \times 10^{-4}$ 10 3 . The maximum local growth rate is $\gamma_{m} \sim \gamma_{0}/2 \sim 8.5 \times 10^{-3} \text{ sec}^{-1}$, where $\gamma_0 = (v_0/L_N)(\Omega_e v_i/v_e \Omega_i) = 1.7 \times 10^{-2} \text{ sec}^{-1}$. The "blob" dimension parallel to the field is z_0 - 300 km [Tsunoda and Vickrey, 1985] and for the above set of parameters we have $\omega_{\rm pe} = 5.6 \times 10^7 \, {\rm sec}^{-1}$, $D_{\rm ri} = 1.4 \times 10^8 \, {\rm cm}^2/{\rm sec}$, $L_r - D_{ri}/Y_0 - 8 \times 10^9$ cm, and $z_0 - z_0/\sqrt{\alpha} L_r - 3.8 \times 10^{-7}$. For $\lambda_i = 1$ km, $\hat{k}_y = k_y L_r = 5 \times 10^5$, and $\hat{k}_y \hat{z}_0 = 0.2$. We find from (48), that the nonlocal growth rate in this instance is Y = 0.06 Y₀ = 1.0 x 10^{-3} sec⁻¹ for the fastest growing mode (m = 0). This is an order of magnitude smaller

than the maximum local growth γ_m , i.e., $\gamma_m = 8.5 \times 10^{-3} \text{ sec}^{-1}$. For a similar set of parameters, we find that for $\lambda_1 = 10 \text{ km}$, the reduction in the growth rate is even more substantial, i.e., $\gamma = 0.006 \gamma_0 = 1.0 \times 10^{-4} \text{ sec}^{-1}$. Therefore, the current convective instability growth rates may be too small for the instability to explain the blob-associated structure for irregularity scale-sizes of 1 - 10 km.

It may be pointed out that the finite blob-size induced reduction in the current convective instability growth rate of the instability is also related to our assumption that the instability region is confined to the "blob" (i.e., the driving density gradient is negligible outside the blob, namely, in the ambient ionosphere). This is represented by the requirement that the modes decay exponentially outside the blob. This is a reasonable assumption in the blob-associated structure studies. However, should there be a transverse gradient in the ambient ionosphere at high altitude Fregion, and if a positive correlation is observed between the structure and the field-aligned currents, then the current convective instability could be considered a possible mechanism for scale sizes on the order of a few km or less.

ACKNOWLEDGMENTS

We thank Drs. J. Drake and M. Keskinen for beneficial discussions. We thank one of the referees for comments that led to improvements in our equilibrium model. This research was supported by the Defense Nuclear Agency and the Office of Naval Research.




Fig. 1) Plasma configuration and slab geometry. (a) Coordinate system and ambient plasma properties. (b) "Top hat" density model for plasma along the ambient magnetic field.




Fig. 2) Plot of growth rate $(\hat{Y} = Y/Y_0)$ versus perpendicular wavenumber $(\hat{k}_y = k_y L_r)$ for several mode numbers (m = 0,1,2). The solid curves are numerical solutions of the dispersion equation (45) while the dashed curves are analytic solutions. For $\hat{k}_y >> 1$ we use (46) while for $\hat{k}_y << 1$ we use (48).

REFERENCES

- Chaturvedi, P.K. and S.L. Ossakow, The current convective instability as applied to the auroral ionosphere, J. Geophys. Res., 86, 4811, 1981.
- Chaturvedi, P.K. and S.L. Ossakow, Effect of an electron beam on the current convective instability, J. Geophys. Res., 88, 4114, 1983.
- Drake, J.F., J.D. Huba, and S.T. Zalesak, Finite temperature stabilization of the gradient drift instability in barium clouds, <u>J. Geophys. Res.</u>, 90, 5227, 1985.
- Fejer, B.G. and M.C. Kelley, Ionospheric irregularities, Rev. Geophys.

 Space Phys., 13, 401, 1980.
- Fremouw, E.J. C.L. Rino, R.C. Livingston, and M.C. Cousins, A persistent subauroral scintillation enhancement observed in Alaska, <u>Geophys. Res. Lett.</u>, <u>4</u>, 539, 1977.
- Gary, S.P., Kinetic theory of current and density drift instabilities with weak charged-neutral collisions, J. Geophys. Res., 89, 179, 1984.
- Goldman, S.R., L. Baker, S. Ossakow, and A.J. Scannapieco, Striation formation associated with barium clouds in an inhomogeneous ionosphere, <u>J. Geophys. Res.</u>, <u>81</u>, 5097, 1976.

.

į

いっぱいから 重元 イタフィン 国際国際に対した代表

- Hanuise, C., J.P. Villain and M. Crochet, Spectral studies of F region irregularities in the auroral zone, <u>Geophys. Res. Lett.</u>, <u>8</u>, 1083, 1981.
- Huba, J.D. and S.L. Ossakow, Influence of magnetic shear on the current convective instability in the diffuse aurora, <u>J. Geophys. Res.</u>, <u>85</u> 6874, 1980.
- Huba, J.D., Long wavelength limit of the current convective instability, <u>J.</u>

 <u>Geophys. Res.</u>, <u>89</u>, 2931, 1984.

- Kadomtsev, S.B. and A.V. Nedospasov, Instability of the positive column in a magnetic field and the "anomalous diffusion effect", J. Nucl. Energy, Part C, Plasma Physics, 1, 230, 1960.
- Keskinen, M.J., S.L. Ossakow, and B.E. McDonald, Nonlinear evolution of diffuse auroral F region ionospheric irregularities, <u>Geophys. Res.</u> <u>Lett.</u>, 7, 573, 1980.
- Keskinen, M.J. and S.L. Ossakow, Theories of high latitude ionospheric irregularities: A review, Radio Sci., 18, 1077, 1983.
- Lehnert, B., Diffusion processes in the positive column in a longitudinal magnetic field, in Peaceful Uses of Atomic Energy, 32, 349, 1958.
- Ossakow, S.L. and P.K. Chaturvedi, Current convective instability in the diffuse aurora, Geophys. Res. Lett., 6, 332, 1979.
- Rino, C.L., R.C. Livingston, and S.J. Mathews, Evidence for sheet-like auroral conospheric irregularities, <u>Geophys. Res. Lett.</u>, <u>5</u>, 1039, 1973.
- Rino, C.L. and J. Owen, The structure of localized nighttime auroral-zone scintillation enhancements, <u>J. Geophys. Res.</u>, <u>85</u>, 2941, 1980.
- Satyanarayana, P. and S.L. Ossakow, Influence of velocity shear on the current convective instability, J. Geophys. Res., 39, 3019, 1983.
- Satyanarayana, P., J. Chen, and M.J. Keskinen, Effects of finite current channel width on the current convective instability, <u>J. Geophys. Res.</u>, 90, 4311, 1985.
- Sperling, J.L., J.F. Drake, S.T. Zalesak, and J.D. Huba, The role of finite parallel length on the stability of barium clouds, <u>J. Geophys. Res.</u>, 89, 10913, 1984.

- Sperling, J.L. and A.J. Glassman, Striation eigenmodes along the geomagnetic field and eigenvalues in the limit of strong ion-neutral collisions, J. Geophys. Res., 90, 2819, 1985.
- Tsunoda, R.T. and J.F. Vickrey, Evidence of east-west structure in large-scale F-region plasma enhancements in the auroral zone, submitted to the Journal of Geophysical Research, 1985.
- Vickrey, J.F., C.L. Rino, and T.A. Potemra, Chatanika/TRIAD observations of unstable ionization enhancements in the auroral F region, <u>Geophys.</u>

 <u>Res. Lett.</u>, 7, 789, 1980.
- Vickrey, J.F. and M.C. Kelley, Irregularities and instabilities in the auroral F-region, <u>High latitude space plasma physics</u>, edited by B. Hultqvist and T. Hagfors, Plenum, New York, 1983.

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE COMM, CMD, CONT 7 INTELL WASHINGTON, DC 20301

DIRECTOR
COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM BE 685
WASHINGTON, DC 20301
O1CY ATTN C-650
O1CY ATTN C-312 R. MASON

DIRECTOR
DEFENSE ADVANCED RSCH PROJ AGENCY
ARCHITECT BUILDING
1400 WILSON BLVD.
ARLINGTON, VA 22209
01CY ATTN NUCLEAR
MONITORING RESEARCH
01CY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER 1860 WIEHLE AVENUE RESTON, VA 22090 010Y ATTN CODE R410

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, DC 20305
01CY ATTN STVL
04CY ATTN TITL
01CY ATTN DDST

OBCY ATTN RAAE

OICY ATTN CODE R812

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND, AFB, NM 87115
DICY ATTN FCPR

DEFENSE NUCLEAR AGENCY SAO/DNA BUILDING 20676 KIRTLAND AFB, NM 87115 01CY D.C. THORNBURG DIRECTOR
INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AFB, NM 87115
OICY ATTN DOCUMENT CONTROL

JOINT PROGRAM MANAGEMENT OFFICE WASHINGTON, DC 20330
O1CY ATTN J-3 WWMCCS EVALUATION OFFICE

DIRECTOR
JOINT STRAT TGT PLANNING STAFF
OFFUTT AFB
OMAHA, NB 68113
O1CY ATTN JSTPS/JLKS
O1CY ATTN JPST G. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
DEPARTMENT OF DEFENSE
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
OICY ATTN FORRL

COMMANDANT
NATO SCHOOL (SHAPE)
APO NEW YORK 09172
01CY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG DEPARTMENT OF DEFENSE WASHINGTON, DC 2030: O1CY ATTN STRATEGIC & SPACE SYSTEMS (CS)

COMMANDER/DIRECTOR
ATMOSPHERIC SCIENCES LABORATORY
U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
01CY ATTN DELAS-EO, F. NILES

DIRECTOR SMD ADVANCED TECH CTR HUNTSVILLE OFFICE P.O. BOX 1500 HUNTSVILLE, AL 35807

OICY ATTN ATC-T MELVIN T. CAPPS OICY ATTN ATC-O W. DAVIES OICY ATTN ATC-R DON RUSS

PROGRAM MANAGER BMD PROGRAM OFFICE 5001 EISENHOWER AVENUE ALEXANDRIA, VA 22333 OICY ATTN DACS-BMT J. SHEA

CHIEF C-E- SERVICES DIVISION U.S. ARMY COMMUNICATIONS CMD PENTAGON RM 1B269 WASHINGTON, DC 20310 OICY ATTN C- E-SERVICES DIVISION

COMMANDER FRADCOM TECHNICAL SUPPORT ACTIVITY DEPARTMENT OF THE ARMY FORT MONMOUTH, N.J. 07703 OICY ATTH DRSEL-NL-RD H. BENNET OICY ATTH DRSEL-PL-ENV H. BCMKE OICY ATTH J.E. QUIGLEY

COMMANDER U.S. ARMY COMM-ELEC ENGRG INSTAL AGY FT. HUACHUCA, AZ 85613 OICY ATTN CCC-EMEO GEORGE LANE

COMMANDER U.S. ARMY FOREIGN SCIENCE & TECH CTR 220 7TH STREET, NE CHARLOTTESVILLE, VA 22901 OTCY ATTN DRXST-SD

COMMANDER U.S. ARMY MATERIAL DEV & READINESS CMD COMMANDER 5001 EISENHOWER AVENUE NAVAL OCCEAN SYSTEMS CEN ALEXANDRIA, VA 22333 SAN DIEGO, CA 92152 OTCY ATTN DROLDO J.A. BENDER DICY ATTN J. FERGUSON 5001 EISENHOWER AVENUE ALEXANDRIA, VA 22333

COMMANDER U.S. ARMY NUCLEAR AND CHEMICAL AGENCY 7500 BACKLICK ROAD 3LDG 2073 SPRINGFIELD, VA 22150 OICY ATTN LIBRARY

DIRECTOR U.S. ARMY BALLISTIC RESEARCH LABORATORY ABERDEEN PROVING GROUND, MD 21005 OICY ATTN TECH LIBRARY, EDWARD BAICY

COMMANDER U.S. ARMY SATCOM AGENCY FT. MONMOUTH, NJ 07703 OICY ATTN DOCUMENT CONTROL

COMMANDER U.S. ARMY MISSILE INTELLIGENCE AGENCY REDSTONE ARSENAL, AL 35809 OICY ATTN JIM GAMBLE

DIRECTOR U.S. ARMY TRADOC SYSTEMS ANALYSIS ACTIVITY WHITE SANDS MISSILE RANGE, NM 88002 OICY ATTN ATAA-SA OICY ATTN TCC/F. PAYAN JR. OICY ATTN ATTA-TAC LTC J. HESSE

COMMANDER NAVAL ELECTRONIC SYSTEMS COMMAND WASHINGTON, DC 20360 O1CY ATTN NAVALEX 034 T. HUGHES
O1CY ATTN PME 117
O1CY ATTN PME 117-T OICY ATTN CODE 5011

COMMANDING OFFICER NAVAL INTELLIGENCE SUPPORT CTR 4301 SUITLAND ROAD, BLDG. 5 WASHINGTON, DC 20390 DOOR ATTN MR. DUBBIN STIC 12 O1CY ATTN NISC-50 OICY ATTN CODE 5404 J. GALET

NAVAL OCCEAN SYSTEMS CENTER

	•
NAVAL RESEARCH LABORATORY WASHINGTON, DC 20375 01CY ATTN CODE 4700 S.L. Ossakow,	COMMANDER
WASHINGTON, DC 20375	AEROSPACE DEFENSE COMMAND/DC
DICY STTM CODE STOOLS ! Decayou	DEDIGHTENT OF THE AIR EORCE
ord. Atth cost 4,00 S.L. OSSEKOW,	SEPARIMENT OF THE AIR FORCE
26 CYS IF UNCLASS (01CY IF CLASS)	ENT AFS, CO 50912
(OICY IF CLASS)	OICY ATTH DO MR. LONG
ATTN CODE 4780 J.D. HUBA, 50	
CYS IF UNCLASS, OICY IF CLASS	COMMANDES
CIS IN UNCLASS, UNCL IN CLASS	COMMANUER
OICY ATTN CODE 4701 I. VITKOVITSKY	AEROSPACE DEFENSE COMMAND/XPD
O'CY ATTN CODE 7500	DEPARTMENT OF THE AIR FORCE
OLCY ATTN CODE 7550	ENT AFR CO BOOLS
Oldy impu contracto	SHI AFD, CO COUNTE
OTOL ALIN CODE 1500	OICY ATTN XPDQQ
OICY ATTN CODE 755;	OICY ATTN XP
OTCY ATTN CODE 7500 OTCY ATTN CODE 7500 OTCY ATTN CODE 7500 OTCY ATTN CODE 7580 OTCY ATTN CODE 7551 OTCY ATTN CODE 7555	
O1CY ATTN CODE 4730 E. MCLEAN O1CY ATTN CODE 4108 O1CY ATTN CODE 4730 B. RIPIN	ATR FORCE GEORHYSICS LABORATORY
Ofter American Hand	WARRAGON ARD MA ALTRI
OTCY ATTN CODE 4108	HANSCOM APB, MA 01/31
OICY ATTN CODE 4730 B. RIPIN	OICY ATTN OPR HAROLD GARDNER
20CY ATTN CODE 2628	OICY ATTN LKB
204444B	REAREIR S.W. CHRISTON
COMMANDER NAVAL SPACE SURVEILLANCE SYSTEM	OICY ATTN PHD JURGEN BUCHAU
NAVAL SPACE SURVEILLANCE SYSTEM	OICY ATTN PHD JURGEN BUCHAU
DAHLGREN, VA 22448	OICY ATTN PHD JOHN P. MULLEN
OICY ATTN CAPT J.H. BURTON	
OTSI ATTN CAPI U.H. BURTUN	
	AF WEAPONS LABORATORY
OFFICER-IN-CHARGE	KIRTLAND AFT, NM 37117
OICY ATTN CAPT J.H. BURTON OFFICER-IN-CHARGE NAVAL SURFACE WEAPONS CENTER WHITE OAK, SILVER SPRING, MD 20910 OICY ATTN CODE F31	OICY ATTN SUL
WHITE DAY STIVER SPRING MD 20010	OLCY ATTN CA ARTUNO W CHENTUER
WHITE OAK, SILVER SPRING, ND 20910	O'CI KIIN CA ARINON N. GOENINEN
OICY ATTN CODE F31	OTEY ATTH NTYCE TET. G. KRAJEI
DIRECTOR	AFTAC
STRATEGIC SYSTEMS PROJECT OFFICE DEPARTMENT OF THE NAVY	DATRICK AER EL 22025
DEDADENCHE AC SUC NAUV	ALAU LERY DY
WASHINGTON, DC 20376 OICY ATTN NSP-2141 OICY ATTN NSSP-2722 FRED WIMBERLY	
OICY ATTN NSP-2141	AIR FORCE AVIONICS LABORATORY
DICY ATTH NEED-2022 FRED WIMBERLY	WRIGHT-PATTERSON AFR OH USU33
O.G. RI.M MOOF EVEE PAGE WINDERSI	ANTANIA TANIA TANA
	O'CI ALIN AAD WADE BONI
COMMANDER	OICY ATTN AAD ALLEN JOHNSON
NAVAL SURFACE WEAPONS CENTER	
NAVAL SURFACE WEAPONS CENTER CAHLOREN LABORATORY CAHLOREN, VA 22448 COLOY ATTN CODE DF-14 R. BUTLER OFFICER OF NAVAL RESEARCH	טבטוועט בחומת על לבעער
TANAGRAM ANGUNATAN.	DECEMBER DESERVED A ACC
DAHLGREN, VA 22448	RESEARCH, DEVELOPMENT, & ACQ
OICY ATTN CODE DF-14 R. BUTLER	DEPARTMENT OF THE AIR FORCE
	WASHINGTON, DC 20330
OFFICER OF NAVAL RESEARCH	SICY ATTM APPRO
OF TOOK OF HAVAL RESEAROR	Old With Menny
ARLINGTON, VA 22217	
OICY ATTN CODE 465	HEADQUARTERS
CICY ATTN CODE 461	ELECTRONIC SYSTEMS DIVISION
OLCY ATTN CODE BOS	DEDARTMENT OF THE AIR FORCE
OTOL ALIN CODE 402	DEFARIABAT OF THE MIN FORCE
OICI ATTN CODE 420	HANSCOM AFB, MA 01731-5000
OICY ATTN CODE 421	OICY ATTN J. DEAS
OFFICER OF NAVAL RESEARCH ARLINGTON, VA 22217 O1CY ATTN CODE 465 C1CY ATTN CODE 461 O1CY ATTN CODE 402 O1CY ATTN CODE 420 O1CY ATTN CODE 420 O1CY ATTN CODE 421	ESD/SCD-4

COMMANDER FOREIGN TECHNOLOGY DIVISION, AFSC WRIGHT-PATTERSON AFB, OH 45433 OICY ATTN NICD LIBRARY OICY ATTN ETDP B. BALLARD

COMMANDER ROME AIR DEVELOPMENT CENTER, AFSC GRIFFISS AFB, NY 13441

STRATEGIC AIR COMMAND/XPFS
OFFUTT AFB, NB 68113 OICY ATTN ADWATE MAJ BRUCE BAUER OICY ATTN NRT OICY ATTN NRT
OICY ATTN DOK CHIEF SCIENTIST

P.O. BOX 92960 WORLDWAY POSTAL CENTER LOS ANGELES, CA 90009 OICY ATTN SKA (SPACE COMM SYSTEMS) MS D438 M. CLAVIN

SAMSO/MN NORTON AFB, CA 92409 (MINUTEMAN) OICY ATTN MNNL

SAMSO/SK

COMMANDER ROME AIR DEVELOPMENT CENTER, AFSC HANSCOM AFB, MA 01731 OICY ATTN EEP A. LORENTZEN

DEPARTMENT OF ENERGY LIBRARY ROOM 0-042 WASHINGTON, DC 20545 DICY ATTH DOC CON FOR A. LABOWITZ

DEPARTMENT OF ENERGY ALBUQUERQUE OPERATIONS OFFICE P.O. BOX 969
P.O. BOX 5400 LIVERMORE, CA
ALBUQUERQUE, NM 87115 O1CY ATTN OICY ATTN DOC CON FOR D. SHERWOOD

EG&G, INC. LOS ALAMOS DIVISION P.J. BOX 809 LOS ALAMOS, NM 35544 OICY ATTN DOC CON FOR J. BREEDLOVE

UNIVERSITY OF CALIFORNIA LAWRENCE LIVERMORE LABORATORY P.O. BOX 308 LIVERMORE, CA 94550 OTCY ATTN DOC CON FOR TECH INFO DEPT OTCY ATTN DOC CON FOR L-389 R. OTT OTCY ATTN DOC CON FOR L-31 R. HAGE

OTCY ATTN DOC LIBRARY/TSLD LOS ALAMOS NATIONAL LABORATORY
OTCY ATTN DOSE V. COYNE P.O. BOX 1663 LOS ALAMOS, NM 87545 OICY ATTH DOC CON FOR J. WOLCOTT OICY ATTN DOC CON FOR R.F. TASCHEK OICY ATTN DOC CON FOR E. JONES OICY ATTN DOC CON FOR J. MALIK OICY ATTN DOC CON FOR R. JEFFRIES OICY ATTN DOC CON FOR J. ZINN
OICY ATTN DOC CON FOR D. WESTERVEL OICY ATTN D. SAPPENFIELD

> LOS ALAMOS NATIONAL LABORATORY LOS ALAMOS, NM 87545 OICY ATTN S.P. GARY OICY ATTN J. BOROVSKY

SANDIA LABORATORIES P.O. BOX 5300 ALBUQUERQUE, NM 57115 O1CY ATTH DOC CON FOR W. BROWN O1CY ATTH DOC CON FOR A. THORNBROUGH OICY ATTN DOC CON FOR T. WRIGHT OICY ATTN DOC CON FOR D. DAHLGREN OLOY ATTH DOC CON FOR 3141 DIGY ATTH DOC CON FOR SPACE PROJEC

SANDIA LABORATORIES LIVERMORE LABORATORY LIVERMORE, CA 94550 OLCY ATTN DOC CON FOR B. MURPHEY OLCY ATTN DOC CON FOR T. COOK

OFFICE OF MILITARY APPLICATION DEPARTMENT OF ENERGY WASHINGTON, DC 20545 OICY ATTN DOC CON DR. YO SONG

OTHER GOVERNMENT

INSTITUTE FOR TELECOM SCIENCES
NATIONAL TELECOMMUNICATIONS & INFO
ADMIN
BOULDER, CO 80303
OTCY ATTN D. CROMBIE
OTCY ATTN L. BERRY

NATIONAL OCEANIC & ATMOSPHERIC ADMIN ENVIRONMENTAL RESEARCH LABORATORIES DEPARTMENT OF COMMERCE BOULDER, CO 80302 O1CY ATTN R. GRUBB O1CY ATTN AERONOMY LAB G. REID

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION
P.O. BOX 92957
LOS ANGELES, CA 90009
O1CY ATTN I. GARFUNKEL
O1CY ATTN T. SALMI
O1CY ATTN V. JOSEPHSON
O1CY ATTN S. BOWER
O1CY ATTN D. OLSEN

ANALYTICAL SYSTEMS ENGINEERING CORP-5 OLD CONCORD ROAD BURLINGTON, MA 01803 010Y ATTN RADIO SCIENCES

AUSTIN RESEARCH ASSOC., INC. 1901 RUTLAND DRIVE AUSTIN, TX 78758 010Y ATTN L. SLOAN 010Y ATTN R. THOMPSON

BERKELEY RESEARCH ASSOCIATES, INC. P.O. BOX 983 BERKELEY, CA 94701 O1CY ATTN J. WORKMAN

OTCY ATTN J. WORKMAN OTCY ATTN C. PRETTIE OTCY ATTN S. BRECHT

P.O. BOX 3707
SEATTLE, WA 98124
O1CY ATTN G. KEISTER
O1CY ATTN D. MURRAY
O1CY ATTN G. HALL
O1CY ATTN J. KENNEY

BOEING COMPANY, THE

CHARLES STARK DRAPER LABORATORY, INC. 555 TECHNOLOGY SQUARE CAMBRIDGE, MA 02'39 OLCY ATTN D.B. CQX OLCY ATTN J.P. GILMORE

COMSAT LABORATORIES LINTHICUM ROAD CLARKSBURG, MD 20734 O1CY ATTN G. HYDE

CORNELL UNIVERSITY
DEPARTMENT OF ELECTRICAL ENGINEERING
ITHACA, NY 14850
OICY ATTN D.T. FARLEY, JR.

ELECTROSPACE SYSTEMS, INC.

BOX 1359
RICHARDSON, TX 75080
O1CY ATTN H. LOGSTON
O1CY ATTN SECURITY (PAUL PHILLIPS)

EOS TECHNOLOGIES, INC. 606 Wilsnire Blvd. Santa Monica, CA 90401 01CY ATTN C.B. GABBARD 01CY ATTN R. LELEVIER

ESL, INC.
495 JAVA DRIVE
SUNNYVALE, CA 94086
DICY ATTH J. ROBERTS
OICY ATTH JAMES MARSHALL

GENERAL ELECTRIC COMPANY
SPACE DIVISION
VALLEY FORGE SPACE CENTER
GCCDARD BLVD KING OF PRUSSIA
P.O. BCK 3555
PHILADELPHIA, PA 19101
G1CY ATTN M.H. BORTNER
SPACE SCI LAB

GENERAL ELECTRIC TECH SERVICES
CO., ING.
HMES
COURT STREET
SYRACUSE, NY 13201
OICY ATTN G. MILLMAN

GEOPHYSICAL INSTITUTE UNIVERSITY OF ALASKA FAIRBANKS, AK 99701 (ALL CLASS ATTN: SECURITY OFFICER). OTCY ATTN T.N. DAVIS (UNCLASS ONLY) C'CY ATTH TECHNICAL LIBRARY O'CY ATTH NEAL BROWN (UNCLASS ONLY) STUDIES

GTE SYLVANIA, INC. ELECTRONICS SYSTEMS GRP-EASTERN DIV 77 A STREET NEEDHAM, MA 02194 OICY ATTH DICK STEINHOF

HSS, INC. 2 ALFRED CIRCLE BEDFORD, MA 01730 OICY ATTN DONALD HANSEN

ILLINOIS, UNIVERSITY OF 107 COBLE HALL 150 DAVENPORT HOUSE CHAMPAIGN, IL 61820 (ALL CORRES ATTN DAN MCCLELLAND) OICY ATTN K. YEH

OTOY ATTN ERNEST BAUER
OTOY ATTN HANS WOLFARD
OTOY ATTN JOEL BENGSTON

INTL TEL & TELEGRAPH CORPORATION MARTIN MARIETTA DORP 500 WASHINGTON AVENUE NUTLEY, NJ 07110 OTCY ATTH TECHNICAL LIBRARY

JAYCOR 11311 TORREYANA ROAD P.O. 30X 85154 SAN DIEGO, CA 92138 OFOY ATTM J.L. SPERLING

JOHNS HOPKINS UNIVERSITY

APPLIED PHYSICS LABORATORY JOHNS HOPKINS ROAD LAUREL, MD 20810 DICY ATTN DOCUMENT LIBRARIAN OTCY ATTN THOMAS POTEMRA DICY ATTN JOHN DASSOULAS

KAMAN SCIENCES CORP P.O. BOX 7463 COLORADO SPRINGS, CO 30933 OICY ATTN T. MEAGHER

KAMAN TEMPO-SENTER FOR ADVANCED 816 STATE STREET P.O DRAWER QQ) SANTA BARBARA, CA 93102 Oldy ATTH DASIAC Oldy ATTH WARREN S. KNAPP Oldy ATTH WILLIAM MCNAMARA Oldy ATTH B. GAMBILL

LINKABIT CORP 10453 ROSELLE SAN DIEGO, CA 92121 OTCY ATTN IRWIN JACOBS

LOCKHEED MISSILES & SPACE CO., INC P.C. BOX 504 SUNNYVALE, CA 94088 O1CY ATTN DEPT 60-12 O1CY ATTN D.R. CHURCHILL

OTCY ALIN A. ...

INSTITUTE FOR DEFENSE ANALYSES
1801 NO. BEAUREGARD STREET
ALEXANDRIA, VA 22311
OTCY ATTN MARTIN WALT DEPT 52-12
OTCY ATTN J.M. AEIN
OTCY ATTN W.L. IMMOF DEPT 52-12
OTCY ATTN ERNEST BAUER
OTCY ATTN RICHARD J. JOHNSON
DEPT 52-12 OTOY ATTN J.B. CLADIS DEPT 52-12

> ORLANDO DIVISION P.O. BOX 5837 ORLANDO, FL 32305 ONOZ ADTNIR. BEFFNER

MCDONNEL DOUGLAS CORPORATION 5301 BOLSA AVENUE HUNTINGTON BEACH, CA 92547 CICY ATTN N. HARRIS DICY ATTN J. MOULE O'CY ATTH GEORGE MRCZ O'CY ATTH W. DLSON O'CY ATTH R.W. HALPRIN O'CY ATTH TECHNICAL LIBRARY SERVICES

MISSION RESEARCH CORPORATION
735 STATE STREET
SANTA BARBARA, CA 93101
C1CY ATTN P. FISCHER
O1CY ATTN W.F. CREVIER
O1CY ATTN STEVEN L. GUTSCHE
C1CY ATTN R. BOGUSCH
C1CY ATTN R. HENDRICK
C1CY ATTN RALPH KILB
C1CY ATTN DAVE SOWLE
C1CY ATTN F. FAJEN
C1CY ATTN M. SCHEIBE
C1CY ATTN CONRAD L. LONGMIRE
C1CY ATTN B. WHITE
C1CY ATTN R. STAGAT

MISSION RESEARCH CORP.
1720 RANDOLPH ROAD, S.E.
ALBUQUERQUE, NM 87106
O1CY R. STELLINGWERF
O1CY M. ALME
O1CY L. WRIGHT

MITRE CORP
WESTGATE RESEARCH PARK
1820 DOLLY MADISON BLVD
MCLEAN, VA 22101
01CY ATTN W. HALL
01CY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP 12340 SANTA MONICA BLVD. LOS ANGELES, CA 90025 OICY ATTN E.C. FIELD, JR.

PENNSYLVANIA STATE UNIVERSITY

IONOSPHERE RESEARCH LAB

318 ELECTRICAL ENGINEERING EAST

UNIVERSITY PARK, PA 16802

(NO CLASS TO THIS ADDRESS)

O1CY ATTN IONOSPHERIC RESEARCH LAB

O1CY ATTN CURTIS

PHOTOMETRICS, INC.
4 ARROW DRIVE
WOBURN, MA 01801
01CY ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS, INC. P.O. BOX 3027 BELLEVUE, WA 98009 OICY ATTN E.J. FREMOUW PHYSICAL DYNAMICS, INC. P.O. BOX 10367 OAKLAND, CA 94610 ATTN A. THOMSON

R & D ASSOCIATES
P.O. BOX 9695
MARINA DEL REY, CA 90291
O1CY ATTN FORREST GILMORE
O1CY ATTN WILLIAM B. WRIGHT, JR.
O1CY ATTN WILLIAM J. KARZAS
O1CY ATTN H. ORY
O1CY ATTN C. MACDONALD

RAND CORPORATION, THE
15450 COHASSET STREET
VAN NUYS, CA 91406
CICY ATTN CULLEN CRAIN
OICY ATTN ED BEDROZIAN

RAYTHEON CO.
528 BOSTON POST ROAD
SUDBURY, MA 01776
OICY ATTN BARBARA ADAMS

RIVERSIDE RESEARCH INSTITUTE 330 WEST #2nd STREET NEW YORK, NY 10036 01CY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.

1150 PROSPECT PLAZA

LA JOLLA, CA 92037

OICY ATTN LEWIS M. LINSON

OICY ATTN DANIEL A. HAMLIN

OICY ATTN E. FRIEMAN

OICY ATTN E.A. STRAKER

OICY ATTN CURTIS A. SMITH

SCIENCE APPLICATIONS, INC 1710 GOODRIDGE DR. MCLEAN, VA 22102 01CY J. GOCKAYNE 01CY E. HYMAN SRI INTERNATIONAL 333 RAVENSWOOD AVENUE MENLO PARK, CA 94025 OICY ATTN J. CASPER ATTN DONALD NEILSON 2:CY CICY ATTN ALAN BURNS 9101 ATTN G. SMITH 0107 ATTN R. TSUNODA OICY ATTN DAVID A. JOHNSON 0151 ATTN WALTER G. CHESNUT 2124 ATTN CHARLES L. RINO OICY ATTN WALTER JAYE OICY ATTN J. VICKREY ATTN RAY L. LEADABRAND OICY OICY ATTN G. CARPENTER OICY ATTN G. PRICE ATTN R. LIVINGSTON OICY OICY ATTN V. GONZALES OICY ATTN D. MCDANIEL

TECHNOLOGY INTERNATIONAL CORP 75 WIGGINS AVENUE BEDFORD, MA 01730 01CY ATTN W.P. BOQUIST

TRW DEFENSE & SPACE SYS GROUP ONE SPACE PARK REDONDO BEACH, CA 90278

O10Y ATTN R. K. PLEBUCH O10Y ATTN S. ALTSCHULER O10Y ATTN D. DEE O10Y ATTN D/ STOCKWELL SNTF/1575

VISIDYNE
SOUTH BEDFORD STREET
BURLINGTON, MA 01803
DIDY ATTH W. REIDY
DIDY ATTH U. DARPENTER
OLCY ATTH C. HUMPHREY

UNIVERSITY OF PITTSBURGH PITTSBURGH, PA 15213

DICY ATTN: N. ZABUSKY

DTIC 02CY

01CY

DIRECTOR OF RESEARCH U.S. NAVAL ACADEMY ANNAPOLIS, MD 21402 02CY THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

IONOSPHERIC MODELING DISTRIBUTION LIST (UNCLASSIFIED ONLY)

PLEASE DISTRIBUTE ONE COPY TO EACH OF THE FOLLOWING PEOPLE (UNLESS OTHERWISE NOTED)

NAVAL RESEARCH LABORATORY WASHINGTON, DC 20375

DR. H. GURSKY - CODE 4100 DR. P. GOODMAN - CODE 4180

Dr. P. RODRIQUEZ - CODE 4706

A.F. GEOPHYSICS LABORATORY

L.G. HANSCOM FIELD

BEDFORD, MA 01731

DR. T. ELKINS

DR. W. SWIDER

MRS. R. SAGALYN

DR. J.M. FORBES

DR. T.J. KENESHEA

DR. W. BURKE

DR. H. CARLSON

DR. J. JASPERS

Dr. F.J. RICH

DR. N. MAYNARD

BOSTON UNIVERSITY

DEPARTMENT OF ASTRONOMY

BOSTON, MA 02215

DR. J. AARONS

CORNELL UNIVERSITY

ITHACA, NY 14350

DR. W.E. SWARTZ

DR. D. FARLEY

DR. M. KELLEY

HARVARD UNIVERSITY

HARVARD SQUARE

CAMBRIDGE, MA 02138

DR. M.B. McELROY

DR. R. LINDZEN

INSTITUTE FOR DEFENSE ANALYSIS

1801 N. BEAUREGARD STREET

ARLINGTON, VA 22311

DR. E. BAUER

MASSACHUSETTS INSTITUTE OF

TECHNOLOGY

PLASMA FUSION CENTER

LIBRARY. NW16-262

CAMBRIDGE, MA 02139

NASA

GODDARD SPACE FLIGHT CENTER

GREENBELT, MD 20771

DR. N. MAYNARD (CODE 696)

DR. K. MAEDA

DR. S. CURTIS

DR. M. DUBIN

COMMANDER

NAVAL AIR SYSTEMS COMMAND

DEPARTMENT OF THE NAVY

WASHINGTON, DC 20360

DR. T. CZUBA

COMMANDER

NAVAL OCEAN SYSTEMS CENTER

SAN DIEGO, CA 92152

MR. R. ROSE - CODE 5321

NOAA

DIRECTOR OF SPACE AND

ENVIRONMENTAL LABORATORY

BOULDER, CO 80302

DR. A. GLENN JEAN

DR. G.W. ADAMS

DR. D.N. ANDERSON

DR. K. DAVIES

DR. R.F. DONNELLY

OFFICE OF NAVAL RESEARCH

800 NORTH QUINCY STREET

ARLINGTON, VA 22217

DR. G. JOINER

LABORATORY FOR PLASMA AND

FUSION ENERGIES STUDIES

UNIVERSITY OF MARYLAND

COLLEGE PARK, MD 20742

JHAN VARYAN HELLMAN,

REFERENCE LIBRARIAN

PENNSYLVANIA STATE UNIVERSITY UNIVERSITY PARK, PA 16802

DR. J.S. NISBET

DR. P.R. ROHRBAUGH

DR. L.A. CARPENTER

DR. M. LEE

DR. R. DIVANY

DR. P. BENNETT

DR. F. KLEVANS

SCIENCE APPLICATIONS, INC. 1150 PROSPECT PLAZA LA JOLLA, CA 92037 DR. D.A. HAMLIN DR. E. FRIEMAN

STANFORD UNIVERSITY STANFORD, CA 94305 DR. P.M. BANKS

U.S. ARMY ABERDEEN RESEARCH AND DEVELOPMENT CENTER BALLISTIC RESEARCH LABORATORY ABERDEEN, MD DR. J. HEIMERL

GEOPHYSICAL INSTITUTE UNIVERSITY OF ALASKA FAIRBANKS, AK 99701 DR. L.E. LEE

UNIVERSITY OF CALIFORNIA LOS ALAMOS NATIONAL LABORATORY J-10, MS-664 LOS ALAMOS, NM 87545

DR. M. PONGRATZ

DR. D. SIMONS

DR. G. BARASCH

DR. L. DUNCAN

DR. P. BERNHARDT

DR. S.P. GARY

UNIVERSITY OF MARYLAND COLLEGE PARK, MD 20740 DR. K. PAPADOPOULOS DR. E. OTT

JOHNS HOPKINS UNIVERSITY APPLIED PHYSICS LABORATORY JOHNS HOPKINS ROAD LAUREL, MD 20810 DR. R. GREENWALD

UNIVERSITY OF PITTSBURGH PITTSBURGH, PA 15213

DR. N. ZABUSKY DR. M. BIONDI

DR. C. MENG

DR. E. OVERMAN

UNIVERSITY OF TEXAS
AT DALLAS
CENTER FOR RESEARCH SCIENCES
P.O. BOX 688
RICHARDSON, TX 75080

DR. R. HEELIS

DR. W. HANSON

DR. J.P. McCLURE

UTAH STATE UNIVERSITY 4TH AND 8TH STREETS LOGAN, UT 84322

DR. R. HARRIS

DR. K. BAKER

DR. R. SCHUNK

DR. J. ST.-MAURICE

PHYSICAL RESEARCH LABORATORY PLASMA PHYSICS PROGRAMME AHMEDABAD 380 009 INDIA

P.J. PATHAK, LIBRARIAN

LABORATORY FOR PLASMA AND FUSION ENERGY STUDIES UNIVERSITY OF MARYLAND COLLEGE PARK, MD 20742

JHAN VARYAN HELLMAN, REFERENCE LIBRARIAN

UNIVERSITY OF ILLINOIS
DEPT. OF ELECTRICAL ENGINEERING
1406 W. GREEN STREET
URBANA, IL 61801
DR. ERHAN KUDEKI

EMED

5-86 DT [